# **Safety Data Sheet**

### **ADHESIVE REMOVER PADS**

## Section 1. Identification

Product Identifier

ADHESIVE REMOVER PADS

Synonyms

MDS090855

Manufacturer Stock

MDS090855

Numbers

Recommended use

To remove adhesive from skin.

Uses advised against

N/A

Manufacturer Contact

Address

Medline Industries, Inc. One Medline Place Mundelein, IL, 60060

USA

Phone

**Emergency Phone** 

Fax

(800) 633-5463

(800) 424-9300

(847) 643-4436

CHEMTREC CHEMTREC

Website

www.Medline.com

### Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2B

FLAMMABLE LIQUIDS - Category 1

SKIN CORROSION/IRRITATION - Category 3

Signal Word

Pictogram

Danger



**Hazard Statements** 

Causes eye irritation
Causes mild skin irritation

Extremely flammable liquid and vapor

**Precautionary Statements** 

Response

If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

If skin irritation occurs: Get medical advice/attention.

In case of fire: Use appropriate fire extinguishing media.

Prevention Ground/bond container and receiving equipment.

Keep away from heat.

Keep container tightly closed.

Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Wash affected area thoroughly after handling.

Wear protective gloves/eye protection/face protection

Storage

Store in a well-ventilated place. Keep cool.

Disposal

N/A

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

N.A.

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
142-91-6	Hexadecanoic acid, 1-methylethyl ester	<10 %
112-10-7	Octadecanoic acid, 1-methylethyl ester	<10 %
110-27-0	Tetradecanoic acid, 1-methylethyl ester	<10 %
67-63-0	Isopropyl alcohol	10% - 30%
64742-48-9	Naphtha, petroleum, hydrotreated heavy	60% - 100%

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-Aid Measures

General Advice: Take proper precautions to ensure your own health and safety before attempting

rescue and providing first aid. Consult a physician. Show this safety data sheet to

the doctor in attendance. Move out of dangerous area.

Eye Contact: Flush eyes with large amounts of water for at least 15 minutes. Remove contact

lenses, if worn. If irritation persists, seek medical attention.

Skin Contact: Flush with water; if irritation persists, seek medical attention. Stop use if irritation

and redness develop. Ask a doctor if conditions worsen or persist for more than 72

hours.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. If signs/symptoms continue, get medical attention.

Ingestion: If swallowed, call a physician immediately. Rinse mouth and throat thoroughly with

water. Do not induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep

head below hips to prevent aspiration of liquid into lungs.

### Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

In case of fire, use Dry Chemical, Foam or Carbon Dioxide (CO2)

Unsuitable Extinguishing

None known

Media

Special Fire Fighting

Procedures:

Self contained breathing apparatus and full protective clothing recommended.

Unsuitable Extinguishing

Water spray.

Media:

### Section 6. Accidental Release Measures

Flammable Small Spill:

Absorb with an inert dry material and place in an appropriate waste disposal

container.

Flammable Large Spill:

Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with dry earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined

areas; dike if needed.

**Environmental Precautions:** 

Do not flush into surface water or sanitary sewer system. Should not be released

into the environment

### Section 7. Handling and Storage

Handling Flammable:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/ fumes/ vapor/ spray. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids.

Storage Flammable:

Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible

sources of ignition (spark or flame).

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Hexadecanoic acid, 1-methylethyl ester	N/A	N/A	N/A
	Octadecanoic acid, 1-methylethyl ester	N/A	N/A	N/A
	Tetradecanoic acid, 1-methylethyl ester	N/A	N/A	N/A
	Isopropyl alcohol	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm STEL: 500 ppm	N/A
	Naphtha, petroleum, hydrotreated heavy	N/A	N/A	N/A
Personal Protective Equipment	N/A			
Engineering Controls:	Ventilation: None required.			
Respiratory Protection:	None required.			
Eye Protection:	None required for normal use. For prolonged exposure, use appropriate goggles, protective clothing and gloves.			
Skin Protection:	None required for normal use. For prolonged exposure, use appropriate goggles, protective clothing and gloves.			
Other protective equipment:	None required.		10 (SEE(10)) A.	
Work/hygienic practices:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.			

## Section 9. Physical and Chemical Properties

Liquid
Colorless
transparent
solution
Fruity
N.A.
N.A.
N.A.
N/A
N.A.
0.9
N/A
N/A
N.A.
N.A.
N.A.
N.A.
77Deg C
(Solution)
N.A.
N/A
N/A
N.A.
Flammable
N.A.
N.A.
73 mmHg
(Solution)
3 (Solution)

## Section 10. Stability and Reactivity

Stability:

Stable.

Reactivity:

No reactivity expected under normal conditions

Incompatibility (Materials to

Strong oxidizing agents.

Avoid):

Hazardous Decomposition

or Byproducts:

Burning may produce Carbon Monoxide, Carbon Dioxide and other hazardous components.

Hazardous Polymerization

Will not occur.

Conditions to avoid:

Keep away from heat. Ignition source.

## Section 11. Toxicological Information

Acute Toxicity: Eye Contact May cause irritation.

Acute Toxicity: Skin Contact May cause irritation and/or redness.

### Section 12. Ecological Information

No Data Available

### Section 13. Disposal

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local

environmental control regulations.

### Section 14. Transport Information

**UN Number** 

3175

**UN Proper Shipping Name** 

Solids containing flammable liquid, N.O.S., (Isopropyl alcohol)

**DOT Classification** 

N/A

Packing Group

N/A

### Section 15. Regulatory Information

California Prop.65:

This product does not contain any chemicals known to the State of California to

cause cancer, birth defects, or any other reproductive harm.

TSCA:

Complies.

### Section 16. Other Information

**Revision Date** 

5/27/2015

Legend

N.A. - Not Applicable N.E. - Not Established N.D. - Not Determined

HMIS (U.S.A.): Health

Hazard

HMIS (U.S.A.): Flammability 3 0 HMIS (U.S.A.): Reactivity Α HMIS (U.S.A.): Personal

Protection

National Fire Protection Association (U.S.A): Health

Hazard

National Fire Protection Association (U.S.A): Flammability

3

1

National Fire Protection Association (U.S.A): Instability Hazard

0

Additional Information

The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of

these materials and the safety and health of employees