



14.17.890, 0028, 9517, 4522

SAFETY DATA SHEET EA-1104 BROWN IRON OXIDE

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY

1.1 Product identifier

Trade Name **Brown Iron Oxide**
 Chemical Name Ferric/Ferrous Oxide, Blended

1.2 Relevant identified uses of the substance or mixture

Brown pigment for personal care applications

1.3 Details of the supplier of the safety data sheet

Manufacturer: Color Techniques, Inc.
 260 Ryan Street
 South Plainfield, NJ 07080 USA
 TELEPHONE: 908-412-9292
 EMAIL: mahmoudh@color-techniques.com
 FAX: 908-412-9339

1.4 Emergency telephone number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night
 Within USA and Canada: 1-800-424-9300 CCN203590
 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

SECTION 2 POSSIBLE HAZARDS

2.1 Classification of the substance or mixture

Iron Oxides are not listed on Annex 1 to Directive 67/548 EEC on Classification and Labelling of Dangerous Substances.

GHS Classification:

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Pictogram No pictogram

Signal Word No signal word.

Hazard statement(s)

H316 Causes mild skin irritation
 H320 Causes Eye irritation

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.2 Label elements

No special labeling required

2.3 Other Hazards

-

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

INGREDIENT NAME	CAS NUMBER	EINECS	COLOUR INDEX	REACH
Iron Oxide Red, 45%	1309-37-1	215-168-2	77499	01-2119457614-35
Iron Oxide Yellow, 30%	51274-00-1	257-098-5	77492	01-2119457554-33
Iron Oxide Black, 25%	1317-61-9 or 12227-89-3	215-277-5	77499	01-2119457646-28

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Eyes – flush eyes with plenty of water for at least 15 minutes. Consult a physician if irritation persists.

Skin – wash with soap and water.

Inhalation – remove to fresh air. If breathing is labored or stopped, give artificial respiration. Get immediate medical attention.

Ingestion – if swallowed, dilute with large amounts of water to induce vomiting. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Acute – causes mechanical skin and eye irritation.

Chronic – prolonged inhalation of iron oxide dust is known to produce a condition known as siderosis. On X-rays it appears to be a benign pneumoconiosis and is not associated with pulmonary fibrosis or disability. Unless there is concurrent exposure to other fibrosis-producing materials such as silica. The tlv is set to protect against siderosis.

4.3 Indications of any immediate medical attention and special treatment needed

Eyes – may cause mechanical irritation

Skin – none

Inhalation – low health risk by inhalation. Treat as nuisance dust.

Oral Id50 – greater than 10 g/kg (rat)

SECTION 5 FIRE FIGHTING MEASURES**5.1 Extinguishing media**

Use extinguishing agent applicable to surrounding fire.

5.2 Special hazards arising from substance or mixture

No unusual fire or spill hazard. Low risk by inhalation.

Hazardous combustion products – none

5.3 Advice for firefighters

Fire fighters should wear NIOSH approved, positive pressure, self contained breathing apparatus and full protective clothing when appropriate.

SECTION 6 ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment to avoid inhalation of dust

6.2 Environmental precautions

Avoid washing into waterways or public water supply.

6.3 Methods and material for containment and cleaning up

Avoid dust formation. Vacuum, sweep, shovel or use wet clean up techniques and place waste material in closed container.

6.4 Reference to other sections

-

SECTION 7 HANDLING AND STORAGE**7.1 Precautions for safe handling**

Handling: good industrial hygiene practice requires that employee exposure be maintained below tlv. This is preferably achieved through the provision of adequate ventilation where necessary. Where dust cannot be controlled in this way, personal respiratory protection should be employed.

7.2 Conditions for safe storage, including any incompatibilities

Storage: store in a clean, dry area at ambient temperature in original unopened containers. Conditions of high humidity may require storage in a controlled environment.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control Parameters**

Exposure Limits:

OEL(Iron Oxide Fume): 5 mg/m³ (8 hour reference period), 10mg/m³(15 minute reference period)

ACGIH TLV: 5 mg/m³ (Iron Oxide Fume)

OSHA PEL: 10 ppm (Iron Oxide Fume As Fe)

8.2 Exposure controls

Engineering controls: use with adequate ventilation to meet exposure limits listed above.

Respiratory protection: NIOSH approved dust respirator if overexposure potential exists.

Skin protection: leather or rubber gloves.

Eye protection: safety glasses, goggles or face shield recommended.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Appearance: Light brown powder

Boiling point: not applicable

Vapor pressure: not applicable

Vapor density: not applicable

Solubility in water: insoluble

pH: not determined

Odor: none

Odor threshold: not applicable

Flash point: none

Flammable properties: non-flammable

Flammable limits: not applicable

Auto-ignition temperature: not applicable

9.2 Other information

-

SECTION 10 STABILITY AND REACTIVITY**10.1 Reactivity**

Conditions to avoid: none

10.2 Chemical Stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

None

10.5 Incompatible materials

Iron oxides are not compatible with strong oxidizing agents

10.6 Hazardous decomposing products

None

SECTION 11 TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

There are no known dangerous acute effects associated with the use of this material. The acute oral toxicity LD_{50} oral (rat) for Fe_2O_3 is greater than 10 g/kg (rat).

This product is not considered to be a known or suspected carcinogen by NTP, IARC or OSHA.

SECTION 12 ECOLOGICAL INFORMATION**12.1 Toxicity**

No harmful effects known other than those associated with suspended inert solids in water.

12.2 Persistence and degradability

Methods for the determination of biodegradability are not applicable to inorganic substances

12.3 Bioaccumulative potential

The product is practically insoluble in water and not biodegradable

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

According to Annex xiii of Regulation (EC) 1907/2006 A PBT and vPvB assessment shall not be conducted for inorganic substances. This material is an inorganic substance, thus a PBT and vPvB assessment is not required.

12.6 Other adverse effects

-

SECTION 13 DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

No hazardous waste according to European Directive 2000/5322/EC. Reclaim and recycle material if possible, otherwise dispose according to local regulations

SECTION 14 TRANSPORTATION INFORMATION**DOT (USA)****IMDG****IATA****14.1 UN number**

Not dangerous goods

Not dangerous goods

Not dangerous goods

14.2 UN proper shipping name

-

14.3 Transport hazard class

-

14.4 Packing group

-

14.5 Environmental hazards

No

No

No

14.6 Special precautions for user

Not classified as hazardous and not regulated

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

-

SECTION 15 REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

TSCA status: components of this product are listed on the TSCA inventory.

Cercla reportable quantity: none

Sara Title iii

Section 311/312 hazardous categories: none

Section 313 toxic chemicals: none

International regulations:

Canadian WHMIS – this material is not a controlled substance under WHMIS

European Community - listed on ecoin, the European Core Inventory

Canada (DSL): listed

EC (einescs/elincs): listed

Australia (AICS): listed

Japan (ENCS): listed

China (IECS): listed

Korea (ECL): listed

New Zealand (HASNO): not determined

Philippine (PICCS): listed

SECTION 16 OTHER INFORMATION**NFPA Ratings:**

Health

0

Flammability

0

Reactivity

0

HMIS Ratings:

Health

0

Flammability

0

Reactivity

0

Personal Protection E – Glasses, Gloves, Dust Resp.

GHS Classification:

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Pictogram No pictogram

Signal Word No signal word.

Hazard statement(s)

H316 Causes mild skin irritation

H320 Causes Eye irritation

Precautionary statement(s)

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

This data is prepared in accordance with European Community Directive 2001/58/EC, to the best of our knowledge with current data available. The information contained in this document has been gathered from reference materials and /or Color Techniques Inc. test data and is to the best knowledge and belief of Color Techniques Inc., accurate and reliable. Such information is offered solely for your consideration, investigation and

verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones, which exist. Color Techniques Inc. makes no warranty, expressed or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specification.

ISSUED: 9/13/05

REVISED: 6/07, 10/07, 6/08 (additions to Section XVI for EU compliance), 1/10 (additions to Section XV regulatory), 1/13 (% added to Section III), 6/13 (SECTION I, expanded), SECTION VIII (added exposure controls and OEL), SECTION XVI (HMIS & NFPA rating added), 6/26/13 (Changes against last version: adaptation to directive 453/2010/EC, 9/15/2014 (GHS information added to Section 2,16), 6/18/15 (H335 removed from Section 2,16).

End of SDS



14.17.890, 0028, 4517, 4522

SAFETY DATA SHEET EA-1303 YELLOW IRON OXIDE

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY

1.1 Product identifier

Trade Name Yellow Iron Oxide
 Chemical Name Ferric/Ferrous Oxide, Blended

1.2 Relevant identified uses of the substance or mixture

Yellow pigment for personal care applications

1.3 Details of the supplier of the safety data sheet

Manufacturer: Color Techniques, Inc.
 260 Ryan Street
 South Plainfield, NJ 07080 USA
 TELEPHONE: 908-412-9292
 EMAIL: mahmoudh@color-techniques.com
 FAX: 908-412-9339

1.4 Emergency telephone number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night
 Within USA and Canada: 1-800-424-9300 CCN203590
 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

SECTION 2 POSSIBLE HAZARDS

2.1 Classification of the substance or mixture

Iron Oxides are not listed on Annex 1 to Directive 67/548 EEC on Classification and Labelling of Dangerous Substances and are not hazardous substances or mixtures according to Regulation (EC) No. 1272/2008.

GHS Classification:

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Pictogram No pictogram

Signal Word No signal word.

Hazard statement(s)

H316 Causes mild skin irritation

H320 Causes Eye irritation

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.2 Label elements

No special labeling required

2.3 Other Hazards

-

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

INGREDIENT NAME	CAS NUMBER	EINECS	COLOUR INDEX	REACH
Iron Oxide Yellow, 97%	51274-00-1	257-098-5	77492	01-2119457554-33
Iron Oxide Red, 2%	1309-37-1	215-168-2	77499	01-2119457614-35
Iron Oxide Black, 1%	1317-61-9 or 12227-89-3	215-277-5	77499	01-2119457646-28

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Eyes – flush eyes with plenty of water for at least 15 minutes. Consult a physician if irritation persists.

Skin – wash with soap and water.

Inhalation – remove to fresh air. If breathing is labored or stopped, give artificial respiration. Get immediate medical attention.

Ingestion – if swallowed, dilute with large amounts of water to induce vomiting. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Acute – causes mechanical skin and eye irritation.

Chronic – prolonged inhalation of iron oxide dust is known to produce a condition known as siderosis. On X-rays it appears to be a benign pneumoconiosis and is not associated with pulmonary fibrosis or disability. Unless there is concurrent exposure to other fibrosis-producing materials such as silica. The tlv is set to protect against siderosis.

4.3 Indications of any immediate medical attention and special treatment needed

Eyes – may cause mechanical irritation

Skin – none

Inhalation – low health risk by inhalation. Treat as nuisance dust.

Oral ld50 – greater than 10 g/kg (rat)

SECTION 5 FIRE FIGHTING MEASURES**5.1 Extinguishing media**

Use extinguishing agent applicable to surrounding fire.

5.2 Special hazards arising from substance or mixture

No unusual fire or spill hazard. Low risk by inhalation.

Hazardous combustion products – none

5.3 Advice for firefighters

Fire fighters should wear NIOSH approved, positive pressure, self contained breathing apparatus and full protective clothing when appropriate.

SECTION 6 ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment to avoid inhalation of dust

6.2 Environmental precautions

Avoid washing into waterways or public water supply.

6.3 Methods and material for containment and cleaning up

Avoid dust formation. Vacuum, sweep, shovel or use wet clean up techniques and place waste material in closed container.

6.4 Reference to other sections

-

SECTION 7 HANDLING AND STORAGE**7.1 Precautions for safe handling**

Handling: good industrial hygiene practice requires that employee exposure be maintained below tlv. This is preferably achieved through the provision of adequate ventilation where necessary. Where dust cannot be controlled in this way, personal respiratory protection should be employed.

7.2 Conditions for safe storage, including any incompatibilities

Storage: store in a clean, dry area at ambient temperature in original unopened containers. Conditions of high humidity may require storage in a controlled environment.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control Parameters**

Exposure Limits:

OEL(iron Oxide Fume): 5 mg/m³ (8 hour reference period), 10mg/m³(15 minute reference period)

ACGIH TLV: 5 mg/m³ (Iron Oxide Fume)

OSHA PEL: 10 ppm (Iron Oxide Fume As Fe)

8.2 Exposure controls

Engineering controls: use with adequate ventilation to meet exposure limits listed above.

Respiratory protection: NIOSH approved dust respirator if overexposure potential exists.

Skin protection: leather or rubber gloves.

Eye protection: safety glasses, goggles or face shield recommended.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Appearance: Yellow powder
 Boiling point: not applicable
 Vapor pressure: not applicable
 Vapor density: not applicable
 Solubility in water: insoluble
 pH: not determined
 Odor: none
 Odor threshold: not applicable
 Flash point: none
 Flammable properties: non-flammable
 Flammable limits: not applicable
 Auto-ignition temperature: not applicable

9.2 Other information

-

SECTION 10 STABILITY AND REACTIVITY**10.1 Reactivity**

Conditions to avoid: none

10.2 Chemical Stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

None

10.5 Incompatible materials

Iron oxides are not compatible with strong oxidizing agents

10.6 Hazardous decomposing products

None

SECTION 11 TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

There are no known dangerous acute effects associated with the use of this material. The acute oral toxicity LD_{50} oral (rat) for Fe_2O_3 is greater than 10 g/kg (rat).

This product is not considered to be a known or suspected carcinogen by NTP, IARC or OSHA.

SECTION 12 ECOLOGICAL INFORMATION**12.1 Toxicity**

No harmful effects known other than those associated with suspended inert solids in water.

12.2 Persistence and degradability

Methods for the determination of biodegradability are not applicable to inorganic substances

12.3 Bioaccumulative potential

The product is practically insoluble in water and not biodegradable

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

According to Annex xiii of Regulation (EC) 1907/2006 A PBT and vPvB assessment shall not be conducted for inorganic substances. This material is an inorganic substance, thus a PBT and vPvB assessment is not required.

12.6 Other adverse effects

-

SECTION 13 DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

No hazardous waste according to European Directive 2000/5322/EC. Reclaim and recycle material if possible, otherwise dispose according to local regulations

SECTION 14 TRANSPORTATION INFORMATION**DOT (USA)****IMDG****IATA****14.1 UN number**

Not dangerous goods

Not dangerous goods

Not dangerous goods

14.2 UN proper shipping name

-

14.3 Transport hazard class

-

14.4 Packing group

-

14.5 Environmental hazards

No

No

No

14.6 Special precautions for user

Not classified as hazardous and not regulated

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

-

SECTION 15 REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Tsca status: components of this product are listed on the tsca inventory.

Cercla reportable quantity: none

Sara title iii

Section 311/312 hazardous categories: none

Section 313 toxic chemicals: none

International regulations:

Canadian DSL - components are listed.

Canadian whmis – this material is not a controlled substance under whmis

European community - listed on ecoin, the European core inventory

Canadian whmis – this material is not a controlled substance under whmis

European community - listed on ecoin, the European core inventory

Canada (dsl): listed

EC (einecs/elincs): listed

Australia (AICS): listed

Japan (ENCS): listed

China (iecs): listed

Korea (ECL): listed

New Zealand (HASNO): not determined

Philippine (PICCS): listed

SECTION 16 OTHER INFORMATION**NFPA Ratings:**

Health

0

Flammability

0

Reactivity

0

Personal Protection E – Glasses, Gloves, Dust Resp.

HMIS Ratings:

Health

0

Flammability

0

Reactivity

0

GHS Classification:

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Pictogram No pictogram

Signal Word No signal word.

Hazard statement(s)

H316 Causes mild skin irritation

H320 Causes Eye irritation

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

This data is prepared in accordance with European Community Directive 2001/58/EC, to the best of our knowledge with current data available.

The information contained in this document has been gathered from reference materials and /or Color Techniques Inc. test data and is to the best knowledge and belief of Color Techniques Inc., accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones, which exist. Color Techniques Inc. makes no warranty, expressed or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specification.

ISSUED: 9/13/05

REVISED: 6/07, 10/07, 6/08 (additions to Section XVI for EU compliance), 1/10 (additions to Section XV regulatory), 1/13 (% added to Section III), 6/13 (SECTION I, expanded), SECTION VIII (added exposure controls and OEL), SECTION XVI (HMIS & NFPA rating added), 6/26/13 (Changes against last version: adaptation to directive 453/2010/EC, 9/15/2014 (GHS information added to Section 16).

Effective date : 02.09.2015

Page 1 of 6

Lanolin, Anhydrous

14.17.890, 4519, 4522, 4028

SECTION 1 : Identification of the substance/mixture and of the supplier**Product name :****Lanolin, Anhydrous****Manufacturer/Supplier Trade name:****Manufacturer/Supplier Article number:****S25376****Recommended uses of the product and uses restrictions on use:****Manufacturer Details:**

AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education
15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification**Classification of the substance or mixture:**

Not classified for physical or health hazards according to GHS.

Hazard statements:**Precautionary statements:**


If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Other Non-GHS Classification:

WHMIS
NFPA/HMIS



NFPA SCALE (0-4)

Health	0
Flammability	1
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients**Ingredients:**

CAS 8006-54-0

Lanolin, anhydrous

100 %

Lanolin, Anhydrous

Percentages are by weight

SECTION 4 : First aid measures**Description of first aid measures**

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact: Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath.; Not Determined

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures**Extinguishing media**

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing. Refer to Section 8. Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyewear, gloves, and clothing. Refer to Section 8. Use spill berms to contain spill and absorb spill from outside working way towards center. Place in appropriate container for disposal. For disposal, refer to Section 13.

Reference to other sections:**SECTION 7 : Handling and storage**

Lanolin, Anhydrous**Precautions for safe handling:**

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed. Store away from incompatible materials. Store with similar hazards. Store in cool, dry place.

SECTION 8 : Exposure controls/personal protection**Control Parameters:**

8006-54-0, Lanolin, anhydrous, This material has no known Exposure Limits.

Appropriate Engineering controls:

Provide adequate ventilation. Ensure eye wash and safety showers are available.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.

Eye protection:

Safety glasses or goggles are appropriate eye protection.

General hygienic measures:

Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing wash contaminated clothing.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	Yellow paste	Explosion limit lower:	Not Determined
		Explosion limit upper:	Not Determined
Odor:	Slight characteristic odor	Vapor pressure:	Not Determined
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	Not Determined	Relative density:	0.932-0.945
Melting/Freezing point:	38-44C	Solubilities:	Not water soluble.
Boiling point/Boiling range:	Not Determined	Partition coefficient (n-octanol/water):	Not Determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	445C

Lanolin, Anhydrous

Evaporation rate:	Not Determined	Decomposition temperature:	Not Determined
Flammability (solid,gaseous):	Not Determined	Viscosity:	a. Kinematic:Not Determined b. Dynamic: Not Determined
Density: Not Determined			

SECTION 10 : Stability and reactivity**Reactivity:**Nonreactive under normal conditions.**Chemical stability:**Stable under normal conditions.**Possible hazardous reactions:**None under normal processing.**Conditions to avoid:**Incompatible materials.High temperatures.**Incompatible materials:**Strong oxidizers.**Hazardous decomposition products:**Oxides of carbon.**SECTION 11 : Toxicological information**

Acute Toxicity: No additional information.	
Chronic Toxicity: No additional information.	
Corrosion Irritation: No additional information.	
Sensitization:	No additional information.
Single Target Organ (STOT):	No additional information.
Numerical Measures:	No additional information.
Carcinogenicity:	Lanolin, anhydrous 8006-54-0: Not listed as a carcinogen (ACGIH, IARC, NTP)
Mutagenicity:	No additional information.
Reproductive Toxicity:	No additional information.

SECTION 12 : Ecological information**Ecotoxicity Persistence and degradability:** Not Determined**Bioaccumulative potential:** Not Determined**Mobility in soil:** Not Determined**Other adverse effects:** Not Determined**SECTION 13 : Disposal considerations****Waste disposal recommendations:**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14 : Transport information

Lanolin, Anhydrous

UN-Number

Not Regulated

UN proper shipping name

Not Regulated

Transport hazard class(es)

Packing group:Not Regulated

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to

Lanolin, Anhydrous

provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:**Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
PNEC: Predicted No-Effect Concentration (REACH)
CFR: Code of Federal Regulations (USA)
SARA: Superfund Amendments and Reauthorization Act (USA)
RCRA: Resource Conservation and Recovery Act (USA)
TSCA: Toxic Substances Control Act (USA)
NPRI: National Pollutant Release Inventory (Canada)
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)

Effective date : 02.09.2015**Last updated :** 03.19.2015

SAFETY DATA SHEET



Snow White Pet USP

14.17.890, 0020, 4519, 4522

Section 1. Identification

GHS product identifier : Snow White Pet USP
Product code : PEN1720-00-C
Chemical name : Petrolatum
Other means of identification : Petroleum jelly; Mineral grease (petrolatum); RED PETROLATUM; Petrolatum.
Product type : Solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Petrochemical industry: Petroleum refining. Petrolatum.	
Uses advised against	Reason
Not available.	

Supplier's details : Calumet Specialty Products Partners, L.P.
2780 Waterfront Pkwy E. Dr.
Suite 200
Indianapolis, Indiana 46214 USA
Technical Services: 317-328-5660

Emergency telephone number (with hours of operation) : 24 hr. CHEMTREC 1-800-424-9300 / International 1-703-527-3887

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements

Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Substance
Chemical name : Petrolatum
Other means of identification : Petroleum jelly; Mineral grease (petrolatum); RED PETROLATUM; Petrolatum.

CAS number/other identifiers

CAS number : 8009-03-8

Ingredient name	%	CAS number
Petrolatum	100	8009-03-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments : No specific treatment.
Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : Do not use water jet.
- Specific hazards arising from the chemical** : No specific fire or explosion hazard.
- Hazardous thermal decomposition products** : No specific data.
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

- | | |
|---|--|
| Appropriate engineering controls | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

Individual protection measures

- | | |
|----------------------------|---|
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |

Skin protection

- | | |
|-------------------------------|---|
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

Section 9. Physical and chemical properties

Appearance

- | | |
|---|---|
| Physical state | : Solid. [Waxy solid.] |
| Color | : Colorless. White. |
| Odor | : Hydrocarbon. |
| Odor threshold | : Not available. |
| pH | : Not available. |
| Melting point | : 55.2°C (131.4°F) |
| Boiling point | : 359 to 732°C (678.2 to 1349.6°F) |
| Flash point | : Closed cup: 259 to 277°C (498.2 to 530.6°F)
Open cup: >200°C (>392°F) [Cleveland.] |
| Evaporation rate | : Not available. |
| Flammability (solid, gas) | : Not available. |
| Lower and upper explosive (flammable) limits | : Not available. |
| Vapor pressure | : <0.0013 kPa (<0.01 mm Hg) [room temperature] |

Section 9. Physical and chemical properties

Vapor density	: Not available.
Relative density	: 0.844
Solubility	: Insoluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: 6
Auto-ignition temperature	: >290°C (>554°F)
Decomposition temperature	: Not available.
Viscosity	: Kinematic (40°C (104°F)): >0.25 cm²/s (>25 cSt)

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Petrolatum	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Conclusion/Summary : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Section 11. Toxicological information

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Petrolatum	Acute EC50 >100 mg/l	Algae	72 hours
	Acute EC50 >100 mg/l	Daphnia	48 hours
	Acute LC50 >100 mg/l	Fish	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Petrolatum	6	-	high

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification : Not Regulated

Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: This material is listed or exempted.
This material is listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

No products were found.

State regulations

Massachusetts : This material is not listed.

New York : This material is not listed.

New Jersey : This material is not listed.

Pennsylvania : This material is not listed.

California Prop. 65

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International lists

National inventory

Australia : This material is listed or exempted.

Canada : This material is listed or exempted.

China : This material is listed or exempted.

Europe : This material is listed or exempted.

Japan : This material is listed or exempted.

Malaysia : Not determined.

New Zealand : This material is listed or exempted.

Philippines : This material is listed or exempted.

Republic of Korea : This material is listed or exempted.

Taiwan : This material is listed or exempted.

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
Not classified.	

History

Date of issue/Date of revision : 02/19/2015

Version : 1

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

☑ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

14.17.890, 0020, 4519, 4522

1. Product and Company Identification

Material name **Drakeol® 7 LT MIN OIL NF**
Version # 07
Revision date 08-11-2011
CAS # 8042-47-5
Manufacturer information Calumet Specialty Products Partners, L.P.
2780 Waterfront Pkwy E. Dr.
Suite 200
Indianapolis, IN 46214 United States
www.calumetlubricants.com
Technical Services 317-328-5660
CHEMTREC International 703-527-3887

2. Hazards Identification

OSHA regulatory status This product is considered not hazardous under 29 CFR 1910.1200 (Hazard Communication).
Potential environmental effects Ecological injuries are not known or expected under normal use.

3. Composition / Information on Ingredients

Non-hazardous components	CAS #	Percent
White mineral oil	8042-47-5	100

4. First Aid Measures

First aid procedures

Eye contact Product is non-irritating.
Skin contact Product is non-irritating.
Inhalation Not applicable.
Ingestion Not applicable.

5. Fire Fighting Measures

Extinguishing media

Suitable extinguishing media Water fog. Foam. Carbon dioxide (CO2). Dry chemicals.
Unsuitable extinguishing media Water. Do not use water jet as an extinguisher, as this will spread the fire.

Protection of firefighters

Protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray.

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away.

Methods for containment ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Methods for cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Following product recovery, flush area with water. Scrub the area with detergent and water.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

7. Handling and Storage

Handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Avoid prolonged exposure.

Storage

Keep away from heat and sources of ignition. Store in a well-ventilated place. Keep container tightly closed. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. Use care in handling/storage.

8. Exposure Controls / Personal Protection

Personal protective equipment

Eye / face protection

Do not get in eyes. Chemical goggles are recommended.

Skin protection

Wear appropriate chemical resistant clothing. Chemical resistant gloves.

General hygiene considerations

Do not get in eyes. Avoid contact with skin. Keep away from food and drink. Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Appearance

Product is water-white liquid.

Physical state

Liquid.

Form

Liquid.

Color

Transparent Water-White

Odor

None.

Boiling point

> 599 °F (> 315 °C) estimated

Flash point

360 °F (182.2 °C) ASTM D92

Auto-ignition temperature

579.2 °F (304 °C) estimated

VOC

4 % EPA Method 24

Viscosity

70 SUS ASTM D2161

Viscosity temperature

100 °F (37.8 °C)

Pour point

-17 °F (-27.2 °C) ASTM D97

Other data

Density

0.8749 g/cm³

Kinematic viscosity

< 13.6 mm²/s ASTM D445

Kinematic viscosity temp

104 °F (40 °C)

10. Chemical Stability & Reactivity Information

Chemical stability

Material is stable under normal conditions.

Conditions to avoid

Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Incompatible materials

Not available.

Hazardous decomposition products

Not available.

11. Toxicological Information

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Skin corrosion/irritation

Product is non-irritating.

12. Ecological Information

MSDS-800-221

Ecotoxicity	This product has no known eco-toxicological effects.
Persistence and degradability	Not available.

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose in accordance with all applicable regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT NON-BULK

Not regulated as dangerous goods.

DOT BULK

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
------------------------	---

CERCLA/SARA Hazardous Substances - Not applicable.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2))

Not regulated

DEA Essential Chemical Code Number

Not regulated

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated

DEA Exempt Chemical Mixtures Code Number

Not regulated

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
-------------------	--

Section 302 extremely
hazardous substance

No

Section 311 hazardous
chemical

No

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings
 Health: 0
 Flammability: 1
 Physical hazard: 0

NFPA ratings
 Health: 0
 Flammability: 1
 Instability: 0

Disclaimer The information in the sheet was written based on the best knowledge and experience currently available.

Issue date 08-11-2011

This data sheet contains changes from the previous version in section(s): Physical & Chemical Properties: Multiple Properties

STRAHL & PITSCHE INC.

230 Great East Neck Road
West Babylon, NY 11704

SAFETY DATA SHEET

1. Identification**Product Name:** Ozokerite Wax**Synonyms:** Ozokerite Wax**Product Use:** Pharmaceutical/Cosmetic/Personal Care**Manufacturer/Supplier:**Strahl & Pitsch, Inc
230 Great East Neck Rd
West Babylon, NY 11704
631-587-9000**2. Hazards Identification****GHS Classification:**

Health	Environmental	Physical
N/A	N/A	N/A

GHS Label:

Symbols: not applicable	
Hazard Statements None	Precautionary Statements Contact with molten wax may cause thermal burns

3. Composition / Information on Ingredients**Chemical Name**

Not applicable

Common Name

Ozokerite

CAS Number

12198-93-5

Weight %

100

Impurities/Additives

None

(See Section 8 for Exposure Limits)

4. First Aid Measures**Eye:** Eye irritation. Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get immediate medical attention.**Skin:** For contact with molten material, leave material on skin and flush or immerse affected area(s), using cold water. Seek Medical Attention.

STRAHL & PITSCHE INC.230 Great East Neck Road
West Babylon, NY 11704**4. First Aid Measures (cont.)**

Inhalation: If respiratory symptoms develop from exposure to fumes emitted by the molten material, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.

Ingestion: Solid material is not acutely toxic; however, if molten material is swallowed, seek immediate medical attention.

5. Fire Fighting Measures

Suitable Extinguishing Media: Dry chemical, foam, sand, water fog is recommended.

Unusual Fire and Explosion Hazards: This material may burn, but will not ignite readily.

Combustion Products: N/A

National Fire Protection Association (NFPA) Ratings: This information is intended solely for the use of individuals trained in the NFPA system.

Health: 0

Flammability: 1

Reactivity: 0

6: Accidental Release Measures:

This material may burn but will not ignite readily.

Isolate danger area and keep unauthorized personnel out.

Contain spill if it can be done with minimal risk. Wear appropriate protective equipment.

Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.

Cleanup molten wax under supervision is advised.

STRAHL & PITSCHE INC.230 Great East Neck Road
West Babylon, NY 11704**7. Handling and Storage****Handling**

Wash thoroughly after handling. Do not wear contaminated clothing or shoes. Use good personal hygiene practice.

Storage

Store in tightly closed containers in cool, dry, well-ventilated area away from heat, sources of ignition and incompatibles such as strong oxidizers.

Store at ambient or lower temperature.

Store out of direct sunlight.

Keep containers tightly closed and upright when not in use. Protect against physical damage.

8. Exposure Controls / Personal Protection

Exposure Limits NONE

Personal Protective Equipment (PPE)

Eye Protection: When handling in molten form, proper eye shields are worn to prevent injury

Skin Protection: When handling in molten form, proper resistant clothing, gloves, and shoes must be worn.

Respiratory Protection: No special precautions for normal use

9. Physical and Chemical Properties

Appearance: White or Yellow solid at room temperature

Upper Flammability Limit: N/A

Lower Flammability Limit: N/A

Vapor Pressure: N/A

Odor Threshold: N/A

Vapor Density: N/A

pH: N/A

Specific Gravity: < 1g/ml @ 20°C

Melting Point: 70 -97 °C

Solubility: Insoluble in water. Soluble in organic solvents when warmed

Boiling Point: N/A

Flashpoint: 400°C

Flammability: Not flammable

Partition coefficient: Not determined

Auto ignition Temperature: N/A

Decomposition temperature: N/A

Viscosity: not determined.

STRAHL & PITSCH INC.



230 Great East Neck Road
West Babylon, NY 11704

10. Stability and Reactivity

Reactivity: This material is stable and unlikely to react in a hazardous manner under normal conditions of use.

Chemical Stability: Stable under normal conditions. Avoid strong oxidizing agents.

Hazardous Reactions: Avoid strong oxidizing agents.

Decomposition Products: Thermal decomposition can produce a variety of products which may include oxides of carbon and nitrogen.

11. Toxicological Information

Signs and Symptoms of Overexposure: Nasal and throat irritation.

Acute Effects:

Eye Contact: Not expected to be an eye irritant

Skin Contact: No harmful effects from skin adsorption.

Inhalation: Vapors emitted from molten wax are expected to have slight degree of irritation

Ingestion: No harmful effects are expected.

Acute Toxicity Values

Low acute toxicity

12. Ecological Information

Bioaccumulation is not expected. This product is readily biodegradable.

13. Disposal Considerations

Recover if possible complying with the local and national regulations currently in force.

14. Transport Information

U.S. Department of Transportation (DOT)

Proper Shipping Name: N/A

Hazard Class: N/A

UN/NA Number: Not Classified as dangerous in the meaning of transport regulations

Packing Group: N/A

International Maritime Organization (IMDG)

Not a marine pollutant

STRAHL & PITSCH INC.



230 Great East Neck Road
West Babylon, NY 11704

15. Regulatory Information

U.S. Federal Regulations

Toxic Substances Control Act (TSCA): All components of this product are included on the TSCA inventory.

Clean Water Act (CWA): Not hazardous.

Clean Air Act (CAA): Not Hazardous

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

This product contains no toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372)

State Regulations:

California: This product contains no chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm.

International Regulations:

Canadian Environmental Protection Act: All of the components of this product are included on the Canadian Domestic Substances list (DSL).

Canadian Workplace Hazardous Materials Information System (WHMIS):

This product has not been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

European Inventory of Existing Chemicals (EINECS): All of the components of this product are included on EINECS.

EU Classification: None

EU Risk (R) and Safety (S) Phrases: None

16. Other Information:

This SDS applies to Strahl & Pitsch Item Codes attached to the end of this document

Revision: New SDS May 28, 2015

Disclaimer: *The information contained herein is accurate to the best of our knowledge. My Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.*

STRAHL & PITSCHE INC.230 Great East Neck Road
West Babylon, NY 11704

SP-1016	WHITE OZOKERITE WAX
SP-1016G	White Ozokerite Granules
SP-1016P	OZOKERITE WAX PASTILLES
SP-1020	WHITE OZOKERITE WAX
SP-1020P	OZOKERITE WAX PASTILLES
SP-1021	WHITE OZOKERITE WAX
SP-1021P	OZOKERITE WAX PASTILLES
SP-1022	WHITE OZOKERITE WAX
SP-1022P	OZOKERITE WAX PASTILLES
SP-1023	WHITE OZOKERITE WAX
SP-1023P	WHITE OZOKERITE WAX PASTILLES
SP-1024	WHITE OZOKERITE WAX
SP-1024P	OZOKERITE WAX PASTILLES
SP-1025	WHITE OZOKERITE WAX
SP-1025P	OZOKERITE WAX PASTILLES
SP-1026	WHITE OZOKERITE WAX
SP-1026P	WHITE OZOKERITE WAX PASTILLES
SP-1028	WHITE OZOKERITE WAX
SP-1028P	OZOKERITE WAX PASTILLES
SP-109	WHITE OZOKERITE WAX
SP-1140	WHITE OZOKERITE WAX
SP-1190	WHITE OZOKERITE WAX
SP-1410	OZOKERITE WAX
SP-15	WHITE OZOKERITE WAX
SP-1554	White Ozokerite Wax
SP-157	WHITE OZOKERITE WAX
SP-162	OZOKERITE WAX
SP-162A	OZOKERITE WAX PASTILLES
SP-163	BLACK OZOKERITE WAX
SP-2020	OZOKERITE WAX
SP-2021	OZOKERITE WAX
SP-2021K	Ozokerite Wax
SP-2021P	Ozokerite Wax
SP-2026	Ozokerite Wax
SP-2173	OZOKERITE WAX
SP-2275	OZOKERITE WAX
SP-271P	OZOKERITE WAX PASTILLES
SP-273	WHITE OZOKERITE WAX
SP-273P	OZOKERITE WAX PASTILLES

STRAHL & PITSCHE INC.



230 Great East Neck Road
West Babylon, NY 11704

SP-367	YELLOW OZOKERITE WAX
SP-490	WHITE OZOKERITE WAX
SP-56	WHITE OZOKERITE WAX
SP-600	WHITE OZOKERITE WAX
SP-603	YELLOW OZOKERITE WAX
SP-869	YELLOW OZOKERITE WAX
SP-984	YELLOW OZOKERITE WAX
SP-986	YELLOW OZOKERITE WAX
SP-995P	YELLOW OZOKERITE WAX PASTILLES
SP-996P	WHITE OZOKERITE WAX PASTILLES

EM-1156	White Ozokerite Wax
EM-1168/W	WHITE OZOKERITE WAX
EM-1168W	White Ozokerite Wax
EM-1173	White Ozokerite Wax
EM-1173/1	WHITE OZOKERITE WAX
EM-1173/B	White Ozokerite Wax
EM-1174	White Ozokerite Wax
EM-1174/A	White Ozokerite Wax
EM-1175	White Ozokerite Wax Slabs
EM-1175/1	WHITE OZOKERITE WAX
EM-1175/2	WHITE OZOKERITE WAX
EM-1176	WHITE OZOKERITE WAX

JH-1174M	WHITE OZOKERITE WAX
JH-1176	WHITE OZOKERITE WAX
JH-1649	White Ozokerite Wax
JH-1680	WHITE OZOKERITE WAX

OZOKERITE	OZOKERITE WAX PASTILLES
OZOKERITE 73-76	OZOKERITE WAX 73-76 C



14.17.89, 4428, 4519, 4522

SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 10-Feb-2015

Revision Number 1

1. Identification

Product Name

Isopropyl myristate

Cat No. :

AC412850000; AC412850010; AC412850250; AC412851000

Synonyms

1-Tridecanecarboxylic Acid, Isopropyl Ester; Isopropyl Tetradecanoate

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

Details of the supplier of the safety data sheet

Company

Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Entity / Business Name

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01
/ **Europe** call: +32 14 57 52 11
Emergency Number **US**: 001-201-796-7100 /
Europe: +32 14 57 52 99
CHEMTREC Tel. No. **US**: 001-800-424-9300 /
Europe: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity (single exposure)
Target Organs - Respiratory system.

Category 2
Category 2
Category 3

Label Elements

Signal Word

Warning

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation



Precautionary Statements

Isopropyl myristate

Prevention

Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area
Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray

Response

Call a POISON CENTER or doctor/physician if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / Information on Ingredients

Component	CAS-No	Weight %
Isopropyl myristate	110-27-0	96

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.
Ingestion	Do not induce vomiting. Obtain medical attention.
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available
Flash Point	> 110 °C / > 230 °F
Method -	No information available
Autoignition Temperature	No information available
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
2

Flammability
0

Instability
0

Physical hazards
N/A

6. Accidental release measures**Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Avoid contact with skin, eyes and clothing.

Environmental Precautions

See Section 12 for additional ecological information.

Methods for Containment and Clean Up Sweep up or vacuum up spillage and collect in suitable container for disposal.

7. Handling and storage**Handling**

Ensure adequate ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Avoid breathing dust/fume/gas/mist/vapours/spray.

Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed.

8. Exposure controls / personal protection**Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties**Physical State**

Liquid

Appearance

Clear

Odor

No information available

Odor Threshold

No information available

pH

No information available

Isopropyl myristate

Melting Point/Range	No data available
Boiling Point/Range	167 °C / 332.6 °F @ 9 mm Hg
Flash Point	> 110 °C / > 230 °F
Evaporation Rate	No information available
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	9.32
Relative Density	0.850
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C17 H34 O2
Molecular Weight	270.45

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products.
Incompatible Materials	Oxidizing agents
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological Information

Acute Toxicity

Product Information	No acute toxicity information is available for this product
Component Information	

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl myristate	10000 mg/kg (Rat)	5 g/kg (Rabbit)	41 mg/l (Rat) 1 h

Toxicologically Synergistic No information available

ProductsDelayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Irritating to eyes, respiratory system and skin
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Isopropyl myristate	110-27-0	Not listed	Not listed	Not listed	Not listed	Not listed

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity	No information available.
STOT - single exposure	Respiratory system
STOT - repeated exposure	None known
Aspiration hazard	No information available
Symptoms / effects, both acute and delayed	No information available
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological Information

Ecotoxicity

Do not empty into drains. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Isopropyl myristate	100 mg/L EC50 > 72 h	8400 mg/L LC50 96 h	Not listed	100 mg/L EC50 = 48 h

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

Mobility

Component	log Pow
Isopropyl myristate	6

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport Information

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

15. Regulatory Information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Isopropyl myristate	X	X	-	203-751-4	-		X	X	X	X	X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration
Not applicableCERCLA
Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know Not applicable

U.S. Department of Transportation


Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security
This product does not contain any DHS chemicals.Other International Regulations

Mexico - Grade No information available

Canada
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D2B Toxic materials

**16. Other Information**

Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
-------------	--

Creation Date	22-Sep-2009
---------------	-------------

Revision Date	10-Feb-2015
Print Date	10-Feb-2015
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS



SAFETY DATA SHEET

14.17.890, 0020, 4519, 4522

1. IDENTIFICATION

Product identifier

F-68822 CREAM BQT.

CAS-No Mixture

Recommended use of the chemical and restrictions on use

Recommended Use Fragrances.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Intarome Fragrance & Flavor Corp.
 370 Chestnut Street, Norwood, NJ 07648 USA
 regulatory@intarome.com
 www.intarome.com
 Tel: 1-800-631-1566 Fax: 201-767-8757

Emergency telephone number

Chemtrec +1 800-424-9300 / International +1 703-527-3887 Customer Contract Number : 227771

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A


Skin sensitization Category 1B

Reproductive toxicity Category 2

Specific target organ toxicity (repeated exposure) Category 2

Emergency Overview

Label elements



Signal word

Warning

Hazard statements

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

Suspected of damaging fertility or the unborn child

May cause damage to organs through prolonged or repeated exposure

Appearance clear liquid**Physical state** liquid

Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of soap and water
Take off contaminated clothing and wash before reuse
If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed May be harmful in contact with skin Harmful to aquatic life with long lasting effects Toxic to aquatic life

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS-No	Percent	Trade Secret
DIETHYL PHTHALATE	84-66-2	10-20	*
BENZYL ACETATE	140-11-4	10-20	*
BENZYL SALICYLATE	118-58-1	10-20	*
BENZYL ALCOHOL	100-51-6	1 - 10	*
PHENYL ETHYL ALCOHOL	60-12-8	1 - 10	*
LINALOOL	78-70-6	1 - 10	*
ISO AMYL SALICYLATE	87-20-7	1 - 10	*
AMYL CINNAMIC ALDEHYDE	122-40-7	1 - 10	*
CLOVE STEM OIL	8000-34-8	1 - 10	*
HELIOTROPINE	120-57-0	1 - 10	*
HYDROXYCITRONELLAL	107-75-5	1 - 10	*
VANILLIN	121-33-5	1 - 10	*
LINALYL ACETATE	115-95-7	1 - 10	*
COUMARIN	91-64-5	1 - 10	*
AURANTIOL	89-43-0	1 - 10	*
COPAIBA OIL	8001-61-4	1 - 10	*
LAVANDIN OIL	8022-15-9	<1	*
BOIS DE ROSE OIL	8015-77-8	<1	*
ISO EUGENOL	97-54-1	<1	*
METHYL PARA CRESOL	104-93-8	<1	*
GERANYL ACETATE	105-87-3	<1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash off immediately with soap and plenty of water.
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician. Rinse mouth.
Self-protection of the first aider	Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Avoid breathing fumes from hot material. In case of inadequate ventilation wear respiratory protection.

Suitable extinguishing media. Foam. Dry chemical. or. Carbon dioxide (CO₂).

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Cover liquid spill with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use personal protective equipment as

required. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
DIETHYL PHTHALATE 84-66-2	TWA: 5 mg/m ³	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
BENZYL ACETATE 140-11-4	TWA: 10 ppm	-	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.



General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid
Appearance	clear liquid
Odor	Characteristic
Color	yellow
Odor threshold	No information available

SAFETY DATA SHEET

<u>Property</u>	<u>Values</u>
pH	No information available
Melting point/freezing point	No information available
Boiling point / boiling range	> 35 °C / 95 °F
Flash point	94 °C / 201 °F
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	1.0400-1.0600
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Refractive Index	1.5080-1.5280
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity

None under normal use conditions

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Product may ignite and burn at temperatures exceeding the flash point.

Incompatible materials

Incompatible with oxidizing agents Acids And Alkali

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.

SAFETY DATA SHEET

Skin contact No data available.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIETHYL PHTHALATE 84-66-2	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	-
BENZYL ACETATE 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg (Rabbit) > 5 g/kg (Rabbit)	-
BENZYL SALICYLATE 118-58-1	= 2227 mg/kg (Rat)	= 14150 mg/kg (Rabbit)	-
BENZYL ALCOHOL 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
PHENYL ETHYL ALCOHOL 60-12-8	= 1790 mg/kg (Rat)	= 0.79 mL/kg (Rabbit) = 790 µL/kg (Rabbit)	> 1.38 mg/L (Rat) 4 h
LINALOOL 78-70-6	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rat)	-
ISO AMYL SALICYLATE 87-20-7	= 3300 mg/kg (Rat)	-	-
AMYL CINNAMIC ALDEHYDE 122-40-7	= 3730 mg/kg (Rat)	-	-
CLOVE STEM OIL 8000-34-8	= 1370 mg/kg (Rat)	= 1200 mg/kg (Rabbit)	-
HELIOTROPINE 120-57-0	= 2700 mg/kg (Rat)	> 5 g/kg (Rat)	-
HYDROXYCITRONELLAL 107-75-5	> 5 g/kg (Rat)	-	-
VANILLIN 121-33-5	= 1580 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	-
LINALYL ACETATE 115-95-7	= 13934 mg/kg (Rat)	-	-
COUMARIN 91-64-5	> 5000 mg/kg (Rat) = 293 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
COPAIBA OIL 8001-61-4	= 3790 µL/kg (Rat)	-	-
LAVANDIN OIL 8022-15-9	> 5 g/kg (Rat)	> 5 g/kg (Rabbit)	-
ISO EUGENOL 97-54-1	= 1560 mg/kg (Rat)	-	-
METHYL PARA CRESOL 104-93-8	= 1920 mg/kg (Rat)	> 5 g/kg (Rabbit)	> 6.1 mg/L (Rat) 4 h
GERANYL ACETATE 105-87-3	= 6330 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
BENZYL ACETATE 140-11-4	-	Group 3	-	-
COUMARIN 91-64-5	-	Group 3	-	-

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic toxicity	Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure. Contains a known or suspected reproductive toxin.
Target Organ Effects	Central nervous system, Eyes, Peripheral Nervous System (PNS), Reproductive System, Respiratory system, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document . mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

14.438% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DIETHYL PHTHALATE 84-66-2	2.11 - 4.29: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 21: 96 h Desmodesmus subspicatus mg/L EC50 static 42 - 255: 72 h Pseudokirchneriella subcapitata mg/L EC50 21: 96 h Desmodesmus subspicatus mg/L EC50 23: 72 h Desmodesmus subspicatus mg/L EC50 static 23: 72 h Desmodesmus subspicatus mg/L EC50	16.8: 96 h Pimephales promelas mg/L LC50 static 22: 96 h Lepomis macrochirus mg/L LC50 flow-through 12: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 16.7: 96 h Lepomis macrochirus mg/L LC50 static 17: 96 h Pimephales promelas mg/L LC50 flow-through	86: 48 h Daphnia magna mg/L EC50 Static 36 - 74: 48 h Daphnia magna mg/L EC50
BENZYL ALCOHOL 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	23: 48 h water flea mg/L EC50
PHENYL ETHYL ALCOHOL 60-12-8	490: 72 h Desmodesmus subspicatus mg/L EC50	220 - 460: 96 h Leuciscus idus mg/L LC50 static	287.17: 48 h Daphnia magna mg/L EC50
LINALOOL 78-70-6	88.3: 96 h Desmodesmus subspicatus mg/L EC50	22 - 46: 96 h Leuciscus idus mg/L LC50 static	20: 48 h Daphnia magna mg/L EC50
VANILLIN 121-33-5	-	53 - 61.3: 96 h Pimephales promelas mg/L LC50 flow-through 57: 96 h Pimephales promelas mg/L LC50 semi-static 88: 96 h Pimephales promelas mg/L LC50 static	180: 24 h Daphnia magna mg/L EC50
METHYL PARA CRESOL 104-93-8	320: 72 h Desmodesmus subspicatus mg/L EC50 390: 96 h Desmodesmus subspicatus mg/L EC50	46 - 100: 96 h Leuciscus idus mg/L LC50 static	44.2: 48 h Daphnia magna Straus mg/L EC50

Persistence and degradability No information available.

Bioaccumulation No information available.

Chemical Name	Partition coefficient
BENZYL ACETATE 140-11-4	1.96
BENZYL ALCOHOL	1.1

100-51-6	
LINALOOL 78-70-6	2.84 - 3.1
VANILLIN 121-33-5	1.23
METHYL PARA CRESOL 104-93-8	2.659

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number U088

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
DIETHYL PHTHALATE 84-66-2	U088	Included in waste stream: F039	-	U088
ISO EUGENOL 97-54-1	-	Included in waste stream: K060	-	-

14. TRANSPORTATION INFORMATION

DOT

Not Regulated as Dangerous Goods

IATA

UN/ID no. UN3082
Hazard Class 9
Packing Group III
Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (AMYL CINNAMIC ALDEHYDE), 9, III

IMDG

UN/ID no. UN3082
Hazard Class 9
Packing Group III
EmS-No. F-A, S-F
Special Provisions 274, 335
Marine pollutant This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO
Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (AMYL CINNAMIC ALDEHYDE), 9, III

ADR

UN/ID no.	UN3082
Hazard Class	9
Packing Group	III
Classification code	M6
Tunnel restriction code	(E)
Special Provisions	274, 335, 601
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (AMYL CINNAMIC ALDEHYDE), 9, III
Labels	9
Classification code	M6

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	No data available
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies
NZIoC	No data available

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances
 NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
DIETHYL PHTHALATE 84-66-2	-	X	X	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIETHYL PHTHALATE 84-66-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIETHYL PHTHALATE 84-66-2	X	X	X
BENZYL ACETATE 140-11-4	X	-	-
METHYL SALICYLATE 119-36-8	-	-	X
ALPHA PINENE 80-56-8	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Revision Date 02-Feb-2016

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet