

ASHLAND	Page: 1
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier**

Trade name

: Natrosol™ 250HBR PA
Hydroxyethylcellulose
™ Trademark, Ashland or its subsidiaries, registered in
various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America EHS Customer Requests@ashland.com	Emergency telephone number 1-800-ASHLAND (1-800-274-5263) Regulatory Information Number 1-800-325-3751 Product Information 614-790-3333
--	---

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Combustible Dust

GHS Label element

Signal Word

: Warning

Hazard Statements

: May form combustible dust concentrations in air.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Chemical nature

: organic

Chemical nature

: Defatter

ASHLAND	Page: 2
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version 1.0

Hazardous components

This product is considered hazardous according to the OSHA Hazard Communication Standard 29CFR1910.1200 due to flammable dust potential.

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	: If breathed in, move person into fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: irritation (nose, throat, airways)
Notes to physician	: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam
Specific hazards during firefighting	: Organic dusts at sufficient concentration can form explosive mixtures in air. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: carbon dioxide and carbon monoxide Nitrogen oxides (NOx)
Specific extinguishing methods	:

ASHLAND	Page: 3
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Avoid breathing dust.
Material can create slippery conditions.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid dust formation.
Ensure all equipment is electrically grounded and bonded before beginning transfer operations.
The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage : No smoking.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

ASHLAND		Page: 4
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Version: 1.0

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
SILICA COLLOIDAL	112926-00-8	REL	6 mg/m3	NIOSH/GUID E
		TWA	0.8 mg/m3	Z3
		TWA	6 mg/m3	TN OEL

Engineering measures : Provide appropriate exhaust ventilation at places where dust is formed.
General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:
Safety shoes
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules, powder

Physical state : solid

Colour : off-white

Odour : odourless

Odour Threshold : No data available

pH : 6.0 - 8.5, 2 % (as aqueous solution)

 SAFETY DATA SHEET	Page: 5
	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
	No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.38 g/cm ³
Solubility(ies)	
Water solubility	: soluble, Limited by viscosity
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 460 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous	: Dust may form explosive mixture in air.

ASHLAND	Page: 6
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

reactions

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

UV light.
Exposure to sunlight.

Incompatible materials : Acids
Bases
Hydrogen fluoride
Oxidizing agents
strong alkalis

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

ASHLAND		Page: 7
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Version: 1.0

Further information**Product:**

Remarks: No data available

Carcinogenicity:**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability**Product:**

Biodegradability : Remarks: Slowly biodegradable.

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

ASHLAND		Page: 8
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Version: 1.0

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

U.S. DOT - ROAD

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

ASHLAND		Page: 9
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Version: 1.0

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Fire Hazard

US State Regulations

Pennsylvania Right To Know

CELLULOSE

254504001- 90.00 - 100.00
5906

The identity of one or more component(s) is being withheld
under business confidentiality.

Inorganic Salts

Not Assigned 1.00 - 5.00 %

SILICA COLLOIDAL

112926-00-8 1.00 - 5.00 %

New Jersey Right To Know

CELLULOSE

254504001- 90.00 - 100.00
5906

The identity of one or more component(s) is being withheld
under business confidentiality.

Inorganic Salts

Not Assigned 1.00 - 5.00 %

SILICA COLLOIDAL

112926-00-8 1.00 - 5.00 %

California Prop 65

WARNING! This product contains a chemical known to the
State of California to cause cancer.

FORMALDEHYDE 50-00-0

1,4-DIOXANE 123-91-1

ACETALDEHYDE 75-07-0

ETHYLENE OXIDE 75-21-8

WARNING: This product contains a chemical known to the
State of California to cause birth defects or other reproductive

ASHLAND	Page: 10
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

harm.
ETHYLENE OXIDE 75-21-8

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL.
AUSTR	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECL	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 05/21/2015

NFPA:	HMIS III:						
Flammability  Health Instability Special hazard.	<table border="1"> <tr> <td>HEALTH</td><td>1</td></tr> <tr> <td>FLAMMABILITY</td><td>1</td></tr> <tr> <td>PHYSICAL HAZARD</td><td>0</td></tr> </table> 0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic	HEALTH	1	FLAMMABILITY	1	PHYSICAL HAZARD	0
HEALTH	1						
FLAMMABILITY	1						
PHYSICAL HAZARD	0						

NFPA Flammable and Combustible Liquids Classification
Not applicable

Full text of H-Statements referred to under sections 2 and 3.

ASHLAND®	Page: 11
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

Sources of key data used to compile the Safety Data Sheet
 Ashland internal data including own and sponsored test reports
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx
 N.O.S. : Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
 DOT : Department of Transportation
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
 HMIRC : Hazardous Materials Information Review Commission
 HMIS : Hazardous Materials Identification System
 NFPA : National Fire Protection Association

ASHLAND®		Page: 12
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
		Version: 1.0
Natosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		

NIOSH : National Institute for Occupational Safety and Health
OSHA : Occupational Safety and Health Administration
PMRA : Health Canada Pest Management Regulatory Agency
RTK : Right to Know
WHMIS : Workplace Hazardous Materials Information System

ASHLAND		Page: 1
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Version 1.0

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier**

Trade name

: Natrosol™ 250HBR PA
Hydroxyethylcellulose
™ Trademark, Ashland or its subsidiaries, registered in
various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America EHS Customer Requests@ashland.com	Emergency telephone number 1-800-ASHLAND (1-800-274-5263) Regulatory Information Number 1-800-325-3751 Product Information 614-790-3333
--	---

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Combustible Dust

GHS Label element

Signal Word

: Warning

Hazard Statements

: May form combustible dust concentrations in air.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Chemical nature

: organic

Chemical nature

: Defatter

ASHLAND	Page: 2
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

Hazardous components

This product is considered hazardous according to the OSHA Hazard Communication Standard 29CFR1910.1200 due to flammable dust potential.

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	: If breathed in, move person into fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: irritation (nose, throat, airways)
Notes to physician	: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam
Specific hazards during firefighting	: Organic dusts at sufficient concentration can form explosive mixtures in air. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: carbon dioxide and carbon monoxide Nitrogen oxides (NOx)
Specific extinguishing methods	:

ASHLAND	Page: 3
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Avoid breathing dust.
Material can create slippery conditions.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid dust formation.
Ensure all equipment is electrically grounded and bonded before beginning transfer operations.
The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage : No smoking.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

ASHLAND	Page: 4
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
SILICA COLLOIDAL	112926-00-8	REL	6 mg/m3	NIOSH/GUID E
		TWA	0.8 mg/m3	Z3
		TWA	6 mg/m3	TN OEL

Engineering measures : Provide appropriate exhaust ventilation at places where dust is formed.
General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:
Safety shoes
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules, powder

Physical state : solid

Colour : off-white

Odour : odourless

Odour Threshold : No data available

pH : 6.0 - 8.5, 2 % (as aqueous solution)

ASHLAND	Page: 5
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
	No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.38 g/cm3
Solubility(ies)	
Water solubility	: soluble, Limited by viscosity
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 460 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous	: Dust may form explosive mixture in air.

ASHLAND	Page: 6
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

reactions

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

UV light.
Exposure to sunlight.

Incompatible materials : Acids
Bases
Hydrogen fluoride
Oxidizing agents
strong alkalis

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

ASHLAND		Page: 7
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Version: 1.0

Further information**Product:**

Remarks: No data available

Carcinogenicity:**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability**Product:**

Biodegradability : Remarks: Slowly biodegradable.

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

ASHLAND		Page: 8
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Version: 1.0

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

U.S. DOT - ROAD

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

ASHLAND		Page: 9
SAFETY DATA SHEET		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Version 1.0

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Fire Hazard

US State Regulations

Pennsylvania Right To Know

CELLULOSE	254504001-5906	90.00 - 100.00
-----------	----------------	----------------

The identity of one or more component(s) is being withheld under business confidentiality.

Inorganic Salts	Not Assigned	1.00 - 5.00 %
SILICA COLLOIDAL	112926-00-8	1.00 - 5.00 %

New Jersey Right To Know

CELLULOSE	254504001-5906	90.00 - 100.00
-----------	----------------	----------------

The identity of one or more component(s) is being withheld under business confidentiality.

Inorganic Salts	Not Assigned	1.00 - 5.00 %
SILICA COLLOIDAL	112926-00-8	1.00 - 5.00 %

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

FORMALDEHYDE	50-00-0
--------------	---------

1,4-DIOXANE	123-91-1
-------------	----------

ACETALDEHYDE	75-07-0
--------------	---------

ETHYLENE OXIDE	75-21-8
----------------	---------

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive

ASHLAND	Page: 10
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version: 1.0

harm.
ETHYLENE OXIDE 75-21-8

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL.
AUSTR	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECL	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 05/21/2015

NFPA:	HMIS III:						
Flammability  Health Instability Special hazard.	<table border="1"> <tr> <td>HEALTH</td><td>1</td></tr> <tr> <td>FLAMMABILITY</td><td>1</td></tr> <tr> <td>PHYSICAL HAZARD</td><td>0</td></tr> </table> 0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic	HEALTH	1	FLAMMABILITY	1	PHYSICAL HAZARD	0
HEALTH	1						
FLAMMABILITY	1						
PHYSICAL HAZARD	0						

NFPA Flammable and Combustible Liquids Classification
Not applicable

Full text of H-Statements referred to under sections 2 and 3.

ASHLAND	Page: 11
SAFETY DATA SHEET	Revision Date: 05/21/2015
	Print Date: 7/23/2015
	SDS Number: R0702803
Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169	Version 1.0

Sources of key data used to compile the Safety Data Sheet
 Ashland internal data including own and sponsored test reports
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx
 N.O.S. : Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
 DOT : Department of Transportation
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
 HMIRC : Hazardous Materials Information Review Commission
 HMIS : Hazardous Materials Identification System
 NFPA : National Fire Protection Association

ASHLAND® SAFETY DATA SHEET Natrosol™ 250HBR PA Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 431169		Page: 12
		Revision Date: 05/21/2015
		Print Date: 7/23/2015
		SDS Number: R0702803
		Version: 1.0

NIOSH : National Institute for Occupational Safety and Health
OSHA : Occupational Safety and Health Administration
PMRA : Health Canada Pest Management Regulatory Agency
RTK : Right to Know
WHMIS : Workplace Hazardous Materials Information System