



PASSION. PARTNERSHIP. POSSIBILITIES.

SAFETY DATA SHEET

SECTION 1: PRODUCT IDENTIFICATION

Product: Nail Polish Remover Pad

Product Label Name: Nail Polish Remover Pad

Company Name and Address: Dukal Corporation
2 Fleetwood Court
Ronkonkoma, NY 11779

Emergency Telephone Number: 631-656-3800

SECTION 2: HAZARDOUS IDENTIFICATION

Hazard Class/Category: Eye Irritant – 2A
Flammable Solid - 1

Hazard Symbol:



Signal Word: Danger

Hazard Statements: Causes serious eye irritation
Flammable Solid

Precautionary statements

General: In case of fire: Use appropriate extinguishing media for extinction. (P370+P378)

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. (P305+P351+P338) (P337 + P313)

SECTION 3: INFORMATION ON INGREDIENTS

Component Name	CAS #	Concentration	Other
Methyl Acetate	79 20 9	40%	N/A
Butoxydiglycol	17162 11 7	20%	N/A

SECTION 4: FIRST-AID MEASURES

Emergency first aid procedures by route of exposure:

Ingestion: If large quantities are ingested, administer warm water and contact physician.

Skin: Sensitive or inflamed skin may become irritated.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point: N/A

Flammable Limits: N/A

Extinguishing Media: Any

Fire Fighting Equipment/Instructions: Wear protective clothing and equipment suitable for the surrounding fire, including helmet, facemask, and self contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Eliminate all sources of ignition and flush with large quantities of water spray.

SECTION 7: HANDLING AND STORAGE

None

SECTION 8: EXPOSURE CONTROLS

Engineering Controls: Exhaust Hood

Personal Protective Equipment (PPE):

Eye/Face Protection: Goggles: Use eye bath if eye contact occurs

Skin Protection: N/A

Respiratory Protection: Exhaust Hood

General Hygiene Considerations: Good hygienic practice.



PASSION. PARTNERSHIP. POSSIBILITIES.

SAFETY DATA SHEET

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Individually sealed Packet

Boiling Point: N/A

Vapor Pressure (mm Hg): N/A

Vapor Density: N/A

Specific Gravity: 0.878

Melting Point: N/A

Evaporation Rate (Butyl Acetate=1): N/A

Solubility in Water: Complete

Appearance and Odor: Clear, Acetate Odor, saturated in a pad

SECTION 10: STABILITY AND REACTIVITY

Stability

Unstable: No

Stable: Yes

Conditions to Avoid: NA

Incompatibility (Materials to Avoid): Anhydride, Isocyanate and Organometallic contamination.

Hazardous Decomposition or Byproducts: Thermal decomposition or burning may produce carbon monoxide and/ or carbon dioxide.

Hazardous Polymerization

May occur: No

Will Not Occur: YES

Condition to Avoid: NA

SECTION 11: TOXICOLOGICAL INFORMATION

None

SECTION 12: ECOLOGICAL INFORMATION

None

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Follow local, state and federal regulations

SECTION 14: TRANSPORTATION INFORMATION

Note: Individually sealed packet does not contain free liquid and is sealed in <10mL package.

Note: Information for Active Ingredient Methyl Acetate

USA DOT

Not regulated as Dangerous Goods. Special provision 47

TDG Canada

UN3175

Proper shipping Name- Solids Containing Flammable Liquid
Hazard Class 4.1, Packing Group II, Special provisions 16, 56
Packing exceptions-limited quantities



PASSION. PARTNERSHIP. POSSIBILITIES.

SAFETY DATA SHEET

SECTION 15: REGULATORY INFORMATION

None

SECTION 16: OTHER INFORMATION

Issue Date: 08-05-2014
Revision Date: 6-13-2017

Disclaimer:

The information provided in this SDS is correct and is to the best of our knowledge, at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.