SDS-800-232

SAFETY DATA SHEET



Revision Date 03-Aug-2015 Version 3.01

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name

8# Refined Pharmaceutical Glaze in 35A/190 Alcohol

Product code

M18817

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restrictions on use

No information available No information available

1.3 Details of the supplier of the safety data sheet

Supplier

Mantrose-Haeuser Company

1175 Post Road East Westport, CT 06880

E-mail Address

productsupport@mantrose.com

1.4 Emergency telephone number

Emergency telephone number

Chemtrec: +1 703-527-3887 ex-USA Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

OSHA Regulatory Status

This product is regulated by FDA- not subject to 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Flammable liquids

Category 2

2.2 Label elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

54.3% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance

General advice

Mixture

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is regulated by FDA- not subject to 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
Ethanol	64-17-5	40 - 50
Ethyl Acetate	141-78-6	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

Show this safety data sheet to the doctor in attendance. When symptoms persist or in all

cases of doubt seek medical advice.

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for Eye contact

at least 15 minutes. Call a physician if irritation develops or persists.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and Skin contact

the state of the s

shoes. Use a mild soap if available. Call a physician if irritation develops or persists.

Inhalation Immediate medical attention is required. Move to fresh air. If not breathing, give artificial

Toophation Contain a prijotom.

respiration. Consult a physician.

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk. Never give anything by

mouth to an unconscious person. Do NOT induce vomiting. Get medical attention

immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, fog, Carbon dioxide (CO2), foam or dry chemical.

Unsuitable Extinguishing Media

None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Hazardous decomposition products formed under fire conditions Flash back possible over considerable distance

Hazardous Combustion Products

No information available.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Keep containers tightly closed in a dry, cool and well-ventilated place.

Hygiene measures

When using, do not eat, drink or smoke. Wash hands before breaks and at the end of

workday. Remove and wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep locked up or in an area accessible only to qualified or authorized persons. Store

between 41 and 77 °F (5 - 25° C) in a dry, well ventilated place away from sources of heat,

ignition and direct sunlight. Store in original container.

Materials to Avoid

Strong oxidizing agents.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm
64-17-5	0122. 1000 pp	TWA: 1900 mg/m ³		TWA: 1880 mg/m ³	TWA: 1880 mg/m ³	
Ethyl Acetate 141-78-6	TWA: 400 ppm	TWA: 400 ppm TWA: 1400 mg/m ³	TWA: 150 ppm	TWA: 400 ppm TWA: 1440 mg/m ³	TWA: 400 ppm TWA: 1440 mg/m ³	TWA: 400 ppm

8.2 Appropriate engineering controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection

Safety glasses with side-shields.

Skin and body protection

Wear protective gloves/ protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures

See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

Liquid

Appearance

Colored liquid Pale yellow

Color Odor

Pleasant

Odor Threshold

No information available

Property

Values

Remarks • Methods No information available

pН Melting/freezing point No information available equals to or more than 100°C

Boiling point/boiling range Flash Point

78 °C / 172 °F Tag closed cup 12 °C / 54 °F

Evaporation rate

(Ether=1): <1 No information available

Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit

No information available No information available No information available

Vapor pressure Vapor density

(Air = 1.0)

Specific Gravity Water solubility 0.98 @ 60°F

Solubility in other solvents Partition coefficient Autoignition temperature

Decomposition temperature Viscosity, kinematic Viscosity, dynamic

No information available No information available

No information available

Explosive properties Oxidizing Properties

No information available No information available

9.2 Other information

Volatile organic compounds (VOC) 58.22%

content

Bulk Density

8.14 LBS/GALLON

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Ignition sources, high heat, sparks, open flames.

10.5 Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity

54.3% of the mixture consists of ingredient(s) of unknown toxicity

LC50 (Vapor)

136.80 mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanol 64-17-5	-	-	= 124.7 mg/L (Rat) 4 h
Ethyl Acetate 141-78-6	5620 mg/kg (Rat)	> 18000 mg/kg(Rabbit)	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

May cause irritation and defatting of skin on prolonged contact.

Component Information

· No information available

Eye damage/irritation

Product Information

· Liquid or vapor may cause irritation.

Component Information

· No information available

Respiratory or skin sensitization

Product Information

• Exposure to over 1000ppm may cause headache, drowsiness, vomiting, coughing, dizziness or stupor.

Component Information

No information available

Germ cell mutagenicity

Product Information

· No information available

Component Information

· No information available

Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen

Component Information

There are no known carcinogenic chemicals in this product

Reproductive toxicity

Product Information

· No information available

Component Information

No information available

STOT - single exposure

No information available

STOT - repeated exposure

May cause adverse liver effects

· Contains a known or suspected reproductive toxin

Other adverse effects

Target Organs

No information available

Product Information

• Ingestion can cause depression of central nervous system, vomiting, nausea and diarrhea.

Component Information

No information available

Aspiration hazard

Product Information

· No information available

Component Information

· No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

54.3 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Ethanol 64-17-5	-	LC50: 96 h Oncorhynchus mykiss 12.0 - 16.0 mL/L static LC50: 96 h Pimephales promelas 100 mg/L static LC50: 96 h Pimephales promelas 13400 - 15100 mg/L flow-through	LC50: 48 h Daphnia magna 9268 - 14221 mg/L EC50: 48 h Daphnia magna 2 mg/L Static
Ethyl Acetate 141-78-6	-	LC50: 96 h Pimephales promelas 220 - 250 mg/L flow-through LC50: 96 h Oncorhynchus mykiss 484 mg/L flow-through LC50: 96 h Oncorhynchus mykiss 352 - 500 mg/L semi-static	EC50: 48 h Daphnia magna 560 mg/L Static

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided	
Chemical Name	log Pow
Ethanol 64-17-5	-0.32
Ethyl Acetate 141-78-6	0.6

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

Discharge into the environment must be avoided

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

UN/ID No

UN 1866

Proper shipping name

Resin Solution

Hazard class

Class 3, Flammable liquid

Packing Group

MEX

Proper shipping name

Resin Solution

Hazard class

Class 3, Flammable liquid

UN/ID No

UN 1866

Packing Group

11

IMDG

Proper shipping name

Resin Solution

Hazard class

Class 3, Flammable Liquid

UN Number

UN 1866

Packing Group

 Π

IATA

UN Number

UN 1866

Proper shipping name

Resin Solution

Hazard class

Class 3, Flammable liquid

Packing Group

11

15. Regulatory information

15.1 International Inventories

Complies **TSCA** Complies DSL Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies AICS **NZIoC**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

16. Other information

NFPA

Health Hazard 2

Flammability 4

Instability 0

Physical and chemical

hazards -

HMIS

Health Hazard 2

Flammability 4

Physical Hazard 0

Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date

03-Aug-2015

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet